

Literatur zum DAPP-BQ

- Bagge, C. & Trull, T. J. (2003). DAPP-BQ: Factor structure and relations to personality disorder symptoms in a non-clinical sample. *Journal of Personality Disorders*, 17, 19-32.
- Banzhaf, A., Ritter, K., Merkl, A., Schulte-Herbrüggen, O., Lammers, C. H., & Roeke, S. (2012). Gender differences in a clinical sample of patients with borderline personality disorder. *Journal of Personality Disorders*, 26, 368-380.
- Becker, P. (2002). *Das Trierer Integrierte Persönlichkeitssinventar (TIPI) und sein Einsatz im klinischen Bereich*. Trierer Psychologische Berichte, Nr. 29. Universität Trier.
- Becker, P. (2002). The four-plus-X factor model as a framework for the description of normal and disordered personality. Unveröffentlichter Bericht. Universität Trier.
- Becker, P. (2003). *TIPI. Trierer Integriertes Persönlichkeitssinventar*. Göttingen: Hogrefe.
- Bo, S., Abu-Akel, A., Kongerslev, M., Haahr, U. H., & Simonsen, E. (2013). The role of co-morbid personality pathology in predicting self-reported aggression in patients with schizophrenia. *Comprehensive Psychiatry*, 54, 423-431.
- Brezo, J., Paris, J., Tremblay, R., Vitaro, F., & Turecki, G. (2008). DAPP-BQ: Factor structure in French Canadians. *Journal of Personality Disorders*, 22, 538-545.
- Buiker, I. (2004). *Persönlichkeit und Persönlichkeitssstörungen von Alkoholabhängigen und -missbrauchern. Ihre Erfassung durch das NEO-Persönlichkeitssinventar und den Dimensional Assessment of Personality Pathology - Basic Questionnaire*. Unveröffentlichte Diplomarbeit. Universität Bielefeld.
- Bushman, B. (1999). *Three-, four-, and five-factor models of personality and their association with dimensions of personality disorder* (Promotion). ProQuest Information & Learning. (AAM9916987).
- Büsching, B. (2014). *Temperament, Charakter und Persönlichkeitssstörungen. Ein empirischer Vergleich der Persönlichkeitssmodelle von Livesley und Jackson (DAPP-BQ) und Cloninger (TCI-R)*. Unveröffentlichte Diplomarbeit. Universität Bielefeld.
- Chai, H., Xu, S., Zhu, J., Chen, W., Xu, Y., He, W., & Wang, W. (2012). Further evidence for the fifth higher trait of personality pathology: A correlation study using normal and disordered personality measures. *Psychiatry Research*, 200, 444-449.
- Claes, L., Müller, A., Norré, J., Van Assche, L., Wonderlich, S., & Mitchell, J. E. (2012). The relationship among compulsive buying, compulsive internet use and temperament in a sample of female patients with eating disorders. *European Eating Disorders Review*, 20, 126-131.
- Clark, L. A. & Livesley, W. J. (2002). Two approaches to identifying the dimensions of personality disorder: Convergence on the five-factor model. In P.T.J.Costa & T. A. Widiger (Eds.), *Personality disorders and the five-factor model of personality* (2nd ed.) (pp. 161-176). Washington, DC, US: American Psychological Association.
- De Beurs, E., Rinne, T., van Kampen, D., Verheul, R., & Andrea, H. (2009). Reliability of validity of the Dutch Dimensional Assessment of Personality Pathology-Short Form (DAPP-SF), a shortened version of the DAPP-Basic Questionnaire. *Journal of Personality Disorders*, 23, 308-326.
- De Beurs, E., Rinne, T., van Kampen, D., Verheul, R., & Andrea, H. (2010). Criterion-related validity of the DAPP-SF and its utility as a screener for personality disorders in outpatient care. *Personality and Mental Health*, 4, 271-283.
- Du, J., Wang, W., Li, J., Wang, Y., & Jiang, Q. (2005). Passive Paradigm Elicited Auditory Event-Related Potentials in Adolescents with Aggressive Hyperactivity. In J.P.Morgan (Ed.), *Psychology of aggression* (pp. 137-149). Hauppauge, NY, US: Nova Science Publishers.
- Du, J., Li, J., Wang, Y., Jiang, Q., Livesley, W. J., Jang, K. L., Wang, K., & Wang, W. (2006). Event-related potentials in adolescents with combined ADHD and CD disorder: A single stimulus paradigm. *Brain and Cognition*, 60, 70-75.
- Engelhardt, M. (2009). *Verhaltensgenetische Untersuchung des DAPP-BQ. Struktur und Beziehungen zum Fünf-Faktoren-Modell*. Unveröffentlichte Diplomarbeit. Universität Bielefeld.

- Goldner, E. M., Srikanth, S., Schroeder, M. L., Livesley, W. J., & Birmingham, C. L. (1999). Dimensional assessment of personality pathology in patients with eating disorders. *Psychiatry Research*, 85, 151-159.
- Guichard, J. & Dosnon, O. (2000). Cognitive and social relevance of psycho-pedagogical methods in guidance. *Journal of Career Development*, 26, 161-173.
- Gutiérrez-Zotes, J. A., Gutiérrez, F., Valero, J., Gallego, E., Baillés, E., Torres, X., Labad, A., & Livesley, W. J. (2008). Structure of personality pathology in normal and clinical samples: Spanish validation of the DAPP-BQ. *Journal of Personality Disorders*, 22, 389-404.
- Hentschel, A. G. & Pukrop, R. (2014). The essential features of personality disorder in DSM-5: The relationship between criteria A and B. *Journal of Nervous and Mental Disease*, 202, 412-418.
- Hernández, A., Gutiérrez, F., Valero, J., Gárriz, M., Labad, A., & Gutiérrez-Zotes, J. A. (2009). A genetic-behavioral alternative to the personality disorders: The Livesley dimensional model. *Actas EspaÑolas de PsiquiatrÍa*, 37, 174-182.
- Hiel, A. V., Mervielde, I., & De Fruyt, F. (2004). The relationship between maladaptive personality and right wing ideology. *Personality and Individual Differences*, 36, 405-417.
- Holliday, J., Landau, S., Collier, D., & Treasure, J. (2006). Do illness characteristics and familial risk differ between women with anorexia nervosa grouped on the basis of personality pathology? *Psychological Medicine*, 36, 529-538.
- Holliday, J., Uher, R., Landau, S., Collier, D., & Treasure, J. (2006). Personality pathology among individuals with a lifetime history of anorexia nervosa. *Journal of Personality Disorders*, 20, 417-430.
- Hopwood, C. J., Koonce, E. A., & Morey, L. C. (2009). An exploratory study of integrative personality pathology systems and the interpersonal circumplex. *Journal of Psychopathology and Behavioral Assessment*, 31, 331-339.
- Hopwood, C. J., Koonce, E. A., & Morey, L. C. (2013). Erratum to: An exploratory study of integrative personality pathology systems and the interpersonal circumplex. *Journal of Psychopathology and Behavioral Assessment*, 35, 404-406.
- Horne, C. D. (1998). *Alienation, self-esteem, and perceived self-efficacy: A comparison of returning registered nurse students, prelicensure nursing students, and non-nursing major students in baccalaureate programs*. ProQuest Information & Learning.
- Jang, K. L., Livesley, W. J., & Vernon, P. A. (1996). The genetic basis of personality at different ages: A cross-sectional twin study. *Personality and Individual Differences*, 21, 299-301.
- Jang, K. L., Livesley, W. J., & Vernon, P. A. (1998). A twin study of genetic and environmental contributions to gender differences in traits delineating personality disorder. *European Journal of Personality*, 12, 331-344.
- Jang, K. L., Lam, R. W., Harris, J. A., Vernon, P. A., & Livesley, W. J. (1998). Seasonal mood change and personality: An investigation of genetic co-morbidity. *Psychiatry Research*, 78, 1-7.
- Jang, K. L., Paris, J., Zweig-Frank, H., & Livesley, W. J. (1998). Twin study of dissociative experience. *Journal of Nervous and Mental Disease*, 186, 345-351.
- Jang, K. L., Livesley, W. J., & Vernon, P. A. (1999). The relationship between Eysenck's P-E-N model of personality and traits delineating personality disorder. *Personality and Individual Differences*, 26, 121-128.
- Jang, K. L. & Livesley, W. J. (1999). Why do measures of normal and disordered personality correlate? A study of genetic comorbidity. *Journal of Personality Disorders*, 13, 10-17.
- Jang, K. L., Vernon, P. A., & Livesley, W. J. (2000). Personality disorder traits, family environment, and alcohol misuse: A multivariate behavioural genetic analysis. *Addiction*, 95, 873-888.
- Jang, K. L., Vernon, P. A., Livesley, W. J., Stein, M. B., & Wolf, H. (2001). Intra- and extra-familial influences on alcohol and drug misuse: A twin study of gene-environment correlation. *Addiction*, 96, 1307-1318.
- Jang, K. L., Dick, D. M., Wolf, H., Livesley, W. J., & Paris, J. (2005). Psychosocial adversity and emotional instability: An application of gene-environment interaction models. *European Journal of Personality*, 19, 359-372.

- Ke, X., Ye, X., Xu, Y., Shen, M., Gao, X., Zhang, Y., Livesley, W. J., Jang, K. L., & Wang, W. (2007). Sensation seeking scales and traits delineating personality disorders in a sample of Chinese students. *Personality and Individual Differences*, 42, 271-278.
- Kendler, K. S., Myers, J., & Reichborn-Kjennerud, T. (2011). Borderline personality disorder traits and their relationship with dimensions of normative personality: A web-based cohort and twin study. *Acta Psychiatrica Scandinavica*, 123, 349-359.
- Krischer, M. K., Sevecke, K., Lehmkuhl, G., & Pukrop, R. (2007). Dimensional assessment of personality pathology in female and male juvenile delinquents. *Journal of Personality Disorders*, 21, 675-689.
- Krischer, M. K., Pukrop, R., Halstenberg, A., Lehmkuhl, G., & Sevecke, K. (2012). Stabilität von Persönlichkeitspathologie bei jugendlichen Delinquenten. = Stability of personality pathology in delinquent juveniles. *Kindheit und Entwicklung*, 21, 151-160.
- Kushner, S. C., Quilty, L. C., Tackett, J. L., & Bagby, R. M. (2011). The hierarchical structure of the Dimensional Assessment of Personality Pathology (DAPP-BQ). *Journal of Personality Disorders*, 25, 504-516.
- Larstone, R. M., Jang, K. L., Livesley, W. J., Vernon, P. A., & Wolf, H. (2002). The relationship between Eysenck's P-E-N model of personality, the five-factor model of personality, and traits delineating personality dysfunction. *Personality and Individual Differences*, 33, 25-37.
- Li, M. & Tang, Z. (1998). The personality dimensions, P300 latency and eye movement abnormality in schizophrenics. *Chinese Mental Health Journal*, 12, 288-290.
- Livesley, W. J., Jang, K. L., Jackson, D. N., & Vernon, P. A. (1993). Genetic and environmental contributions to dimensions of personality disorder. *The American Journal of Psychiatry*, 150, 1826-1831.
- Livesley, W. J., Jang, K. L., & Thordarson, D. S. (2005). Etiological Relationships Between Eating Disorder Symptoms and Dimensions of Personality Disorder. *Eating Disorders: The Journal of Treatment & Prevention*, 13, 23-35.
- Livesley, W. J. (2006). The Dimensional Assessment of Personality Pathology (DAPP) Approach to Personality Disorder. In S. Strack (Ed.), *Differentiating normal and abnormal personality* (2nd ed.) (pp. 401-429). New York, NY, US: Springer Publishing Co.
- Livesley, W. J. & Larstone, R. M. (2008). The Dimensional Assessment of Personality Pathology (DAPP). In G. J. Boyle, G. Matthews, & D. H. Saklofske (Eds.), *The SAGE handbook of personality theory and assessment, Vol 2: Personality measurement and testing* (pp. 608-625). Thousand Oaks, CA, US: Sage Publications, Inc.
- Livesley, W. J. & Jackson, D. N. (1999). *Manual for the Dimensional Assessment of Personality Pathology - Basic Questionnaire*. Port Huron, MI: Sigma Press.
- Maisch, I. (2013). *Persönlichkeit und Persönlichkeitsstörungen von Substanzabhängigen. Eine Untersuchung zwischen dem Persönlichkeitsstörungsmodell von Livesley & Jackson (2009, DAPP-BQ) und den Persönlichkeitsstörungen des DSM-IV (SKID-II)*. Unveröffentlichte Masterarbeit. Universität Bielefeld.
- Maruta, T., Yamate, T., Iimori, M., Kato, M., & Livesley, W. J. (2006). Factor structure of the Dimensional Assessment of Personality Pathology-Basic Questionnaire and its relationship with the Revised NEO Personality Inventory in a Japanese sample. *Comprehensive Psychiatry*, 47, 528-533.
- Mayer, W. R. (2013). *Proposed DSM-5 personality traits and substance use: A multi-faceted study*. ProQuest Information & Learning.
- McDermit, W. & Zimmerman, M. (2008). Personality disorders, personality traits, and defense mechanisms measures. In A. J. J. Rush, M. B. First, & D. Blacker (Eds.), *Handbook of psychiatric measures* (2nd ed.) (pp. 687-729). Arlington, VA, US: American Psychiatric Publishing, Inc.
- Michalak, E. E., Jang, K. L., Tam, E. M., Yatham, L. N., Lam, R. W., & Livesley, W. J. (2004). A Comparison of Personality Function Among Patients with Seasonal Depression, Nonseasonal Depression, and Nonclinical Participants. *Journal of Personality Disorders*, 18, 448-458.

- Nederlof, E., van der Ham, A., Dingemans, P., & Oei, K. (2010). The relation between dimensions of personality and personality pathology and offence type and severity in juvenile delinquents. *Journal of Forensic Psychiatry & Psychology*, 21, 711-720.
- Okoniewski, A. (2013). Zur Äquivalenz der deutschen Online- und Paper-Pencil-Version des Dimensional Assessment of Personality Pathology – Basic Questionnaire (DAPP-BQ) von Livesley und Jackson (2009). Unveröffentlichte Masterarbeit. Universität Bielefeld.
- Ostertag, S. (2008). Zur Validität des Dimensional Assessment of Personality Pathology - Basic Questionnaire (DAPP-BQ). Unveröffentlichte Diplomarbeit. Universität Bielefeld.
- Paris, J., Laporte, L., Russell, J., Ng Ying Kin, N. M. K., & Guttman, H. (2011). Platelet [³H] paroxetine binding in female patients with borderline personality disorder and their sisters. *Psychiatry Research*, 186, 76-79.
- Philippe Rushton, J. & Irving, P. (2009). A General Factor of Personality in the Millon Clinical Multiaxial Inventory-III, the Dimensional Assessment of Personality Pathology, and the Personality Assessment Inventory. *Journal of Research in Personality*, 43, 1091-1095.
- Pryor, L. R., Miller, J. D., Hoffman, B. J., & Harding, H. G. (2009). Pathological personality traits and externalizing behaviour. *Personality and Mental Health*, 3, 26-40.
- Pryor, L. R., Miller, J. D., & Gaughan, E. T. (2009). Testing two alternative pathological personality measures in the assessment of psychopathy: An examination of the SNAP and DAPP-BQ. *Journal of Personality Disorders*, 23, 85-100.
- Pukrop, R., Gentil, I., Steinbring, I., & Steinmeyer, E. (2001). Factorial structure of the German version of the Dimensional Assessment of Personality Pathology-Basic Questionnaire in clinical and nonclinical samples. *Journal of Personality Disorders*, 15, 450-456.
- Pukrop, R. (2002). Dimensional personality profiles of borderline personality disorder in comparison with other personality disorders and healthy controls. *Journal of Personality Disorders*, 16, 135-147.
- Pukrop, R., Steinbring, I., Gentil, I., Schulte, C., Larstone, R., & Livesley, J. W. (2009). Clinical validity of the 'Dimensional assessment of personality pathology (DAPP)' for psychiatric patients with and without a personality disorder diagnosis. *Journal of Personality Disorders*, 23, 572-586.
- Reuber, M., Pukrop, R., Bauer, J. Å., Helmstaedter, C., Tessendorf, N., & Elger, C. E. (2003). Outcome in Psychogenic Nonepileptic Seizures: 1 to 10-Year Follow-up in 164 Patients. *Annals of Neurology*, 53, 305-311.
- Reuber, M., Pukrop, R., Bauer, J., Derfuss, R., & Elger, C. E. (2004). Multidimensional assessment of personality in patients with psychogenic non-epileptic seizures. *Journal of Neurology, Neurosurgery & Psychiatry*, 75, 743-748.
- Rushton, J. P., Irving, P., & Booth, T. (2010). A general factor of personality (GFP) in the personality disorders: Three studies of the Dimensional Assessment of Personality Pathologyâ€"Basic Questionnaire (DAPP-BQ). *Twin Research and Human Genetics*, 13, 301-311.
- Samaniego, L. M., Oyarzábal, J. V., Gaviria Gómez, A. M., Fernández, A. H., Gutiérrez-Zotes, J. A., & Alquézar, A. L. (2011). Schizotypy and pathological personality profile in siblings of patients with psychosis. *Psicothema*, 23, 80-86.
- Samuel, D. B., Simms, L. J., Clark, L. A., Livesley, W. J., & Widiger, T. A. (2010). 'An item response theory integration of normal and abnormal personality scales': Correction to Samuel et al (2010). *Personality Disorders: Theory, Research, and Treatment*, 1, 191.
- Samuel, D. B., Simms, L. J., Clark, L. A., Livesley, W. J., & Widiger, T. A. (2010). An item response theory integration of normal and abnormal personality scales. *Personality Disorders: Theory, Research, and Treatment*, 1, 5-21.
- Saper, Z. & Brasfield, C. R. (1998). Two-phase treatment of panic disorder and posttraumatic stress disorder with associated personality features resulting from childhood abuse: Case study. *Journal of Behavior Therapy and Experimental Psychiatry*, 29, 171-178.
- Schroeder, M. L., Wormworth, J. A., & Livesley, W. J. (2002). Dimensions of personality disorder and the five-factor model of personality. In P.T.J.Costa & T. A. Widiger (Eds.), *Personality disorders and the five-factor model of personality (2nd ed.)* (pp. 149-160). Washington, DC, US: American Psychological Association.

- Schulte-van Maaren, Y. W., Carlier, I. V., Zitman, F. G., van Hemert, A. M., de Waal, M. W., van Noorden, M. S., & Giltay, E. J. (2012). Reference values for generic instruments used in routine outcome monitoring: The Leiden routine outcome monitoring study. *BMC Psychiatry*, 12. <http://www.biomedcentral.com/1471-244X/12/203>
- Silberschmidt, A. L. & Sponheim, S. R. (2008). Personality in relation to genetic liability for schizophrenia and bipolar disorder: Differential associations with the COMT Val108/158Met polymorphism. *Schizophrenia Research*, 100, 316-324.
- Simonsen, S. (2008). *Personality Pathology: Assessment and prediction of change following group psychotherapy* (Dissertation). Universität Kopenhagen.
http://www.regionsjaelland.dk/sundhed/geo/psykiatrien/om_psykiatrien/psykiatrisk-forskningsenhed/phd-studium/Documents/Personality-pathology_SebastianSimonsen.pdf
- Simonsen, S. & Simonsen, E. (2009). The Danish DAPP-BQ: Reliability, factor structure, convergence with SCID-II and IIP-C. *Journal of Personality Disorders*, 23, 629-646.
- Steinbring, I. C. (2007). *Psychometrische und neurokognitive Validierung dimensionaler Diagnoseinstrumente im Hinblick auf die Erfassung der Borderline-Persönlichkeitsstörung*. (Dissertation). Universität Köln. <http://kups.ub.uni-koeln.de/2306/1/DissertationIrisSteinbring.pdf>
- Steinmeyer, E. M., Klosterkötter, J., Möller, H. J., Sass, H., Herpertz, S., Czernik, A., Marcea, J. T., Matakas, F., Mehne, J., Bottlander, H., Hesse, W., Steinbring, I., & Pukrop, R. (2002). Personality and Personality Disorders I: Universality and Sensitivity of Dimensional Personality Models as Diagnostic Systems for Personality Disorders. [German]. *Fortschritte der Neurologie, Psychiatrie*, 70, -640.
- Steinmeyer, E. M., Klosterkötter, J., Möller, H. J., Sass, H., Herpertz, S., Czernik, A., Marcea, J. T., Matakas, F., Mehne, J., Bottlander, H., Hesse, W., Steinbring, I., & Pukrop, R. (2002). Personlichkeit und Persönlichkeitsstörungen II: Zur Spezifität des DAPP-Ansatzes als differenzielles Beschreibungssystem von Persönlichkeitsstörungen. / Personality and Personality Disorders II. The Specificity of the DAPP-Model as a Diagnostic System for Personality Disorders. *Fortschritte der Neurologie, Psychiatrie*, 70, 641-646.
- Strunz, S., Westphal, L., Ritter, K., Heuser, I., Dziobek, I., & Roepke, S. (2014). Personality pathology of adults with autism spectrum disorder without accompanying intellectual impairment in comparison to adults with personality disorders. *Journal of Autism and Developmental Disorders*. <http://dx.doi.org/10.1007/s10803-014-2183-x>
- Thaler, L., Groleau, P., Bruce, K. R., Israel, M., Badawi, G., Sycz, L., Steiger, H., & Joober, R. (2013). Epistatic interaction between 5HTTLPR and TPH2 polymorphisms predicts novelty seeking in women with bulimia nervosa spectrum disorders. *Psychiatry Research*, 208, 101-103.
- Torres, A., García-Esteve, L., Navarro, P., Tarragona, M. J., Imaz, M. L., Ascaso, C., Gelabert, E., Plaza, A., Subirà, S., Valdés, M., & Martín-Santos, R. (2013). Relationship between intimate partner violence, depressive symptomatology, and personality traits. *Journal of Family Violence*, 28, 369-379.
- Tromp, N. B. & Koot, H. M. (2008). Dimensions of personality pathology in adolescents: Psychometric properties of the DAPP-BQ-A. *Journal of Personality Disorders*, 22, 623-638.
- Useda, J. D. (2002). *The construct validity of the Paranoid Personality Disorder Features Questionnaire (PPDFQ): A dimensional assessment of paranoid personality disorder* (Promotion). ProQuest Information & Learning. (AAI3025654)
- Van den Broeck, J., Rossi, G., De Clercq, B., Dierckx, E., & Bastiaansen, L. (2013). Validation of the FFM PD count technique for screening personality pathology in later middle-aged and older adults. *Aging & Mental Health*, 17, 180-188.
- Van den Broeck, J., Bastiaansen, L., Rossi, G., Dierckx, E., De Clercq, B., & Hofmans, J. (2014). Hierarchical structure of maladaptive personality traits in older adults: Joint factor analysis of the PID-5 and the DAPP-BQ. *Journal of Personality Disorders*, 28, 198-211.
- van der Lem, R., van der Wee, N. J. A., van Veen, T., & Zitman, F. G. (2011). The generalizability of antidepressant efficacy trials to routine psychiatric out-patient practice. *Psychological Medicine*, 41, 1353-1363.

- van Kampen, D. (2002). The DAPP-BQ in the Netherlands: Factor structure and relationship with basic personality dimensions. *Journal of Personality Disorders*, 16, 235-254.
- van Kampen, D. (2006). The Dutch DAPP-BQ: Improvements, Lower- and Higher-Order Dimensions, and Relationship with the 5DPT. *Journal of Personality Disorders*, 20, 81-101.
- van Kampen, D., de Beurs, E., & Andrea, H. (2008). A short form of the Dimensional Assessment of Personality Pathology-Basic Questionnaire (DAPP-BQ): The DAPP-SF. *Psychiatry Research*, 160, 115-128.
- Vater, A., Schröder-Abe, M., Ritter, K., Renneberg, B., Schulze, L., Bosson, J. K., & Roepke, S. (2013). The Narcissistic Personality Inventory: A useful tool for assessing pathological narcissism? Evidence from patients with Narcissistic Personality Disorder. *Journal of Personality Assessment*, 95, 301-308.
- Vater, A., Ritter, K., Strunz, S., Ronningstam, E. F., Renneberg, B., & Roepke, S. (2014). Stability of narcissistic personality disorder: Tracking categorical and dimensional rating systems over a two-year period. *Personality Disorders: Theory, Research, and Treatment*, 5, 305-313.
- Wang, W., Wang, Y., Gu, J., Drake, R. A., Livesley, W. J., & Lang, K. L. (2003). Line bisection performance in patients with personality disorders. *Cognitive Neuropsychiatry*, 8, 273-285.
- Wang, W., Du, W., Wang, Y., Livesley, W. J., & Jang, K. L. (2004). The relationship between the Zuckerman-Kuhlman Personality Questionnaire and traits delineating personality pathology. *Personality and Individual Differences*, 36, 155-162.
- Wang, W., Yang, T., Zhu, H., Mao, F., Livesley, W. J., Larstone, R. M., & Jang, K. L. (2005). Disordered personality traits in primary headaches. *Social Behavior and Personality*, 33, 495-501.
- Wang, W., Wang, Y., Fu, X., Liu, J., He, C., Dong, Y., Livesley, W. J., & Jang, K. L. (2006). Cerebral information processing in personality disorders: I. Intensity dependence of auditory evoked potentials. *Psychiatry Research*, 141, 173-183.
- Wiebe, N. (2012). *Beziehungen zwischen extremen Persönlichkeitsmerkmalen und posttraumatischer Belastungsstörung*. Unveröffentlichte Bachelorarbeit. Universität Bielefeld.
- Wolff, A. (2013). *Zur Lokalisation von Persönlichkeitsstörungen im Circumplex- und im Fünf-Faktoren-Modell der Persönlichkeit*. Unveröffentlichte Diplomarbeit. Universität Bielefeld.
- Wonderlich, S. A., Crosby, R. D., Mitchell, J. E., Thompson, K., Smyth, J. M., Redlin, J., & Jones-Paxton, M. (2001). Sexual trauma and personality: Developmental vulnerability and additive effects. *Journal of Personality Disorders*, 15, 496-504.
- Wonderlich, S. A., Crosby, R. D., Engel, S. G., Mitchell, J. E., Smyth, J., & Miltenberger, R. (2007). Personality-based clusters in bulimia nervosa: Differences in clinical variables and ecological momentary assessment. *Journal of Personality Disorders*, 21, 340-357.
- Yu, R., Wang, Z., Qian, F., Jang, K. L., Livesley, W. J., Paris, J., Shen, M., & Wang, W. (2007). Perceived parenting styles and disordered personality traits in adolescent and adult students and in personality disorder patients. *Social Behavior and Personality*, 35, 587-598.
- Zheng, W., Wang, W., Huang, Z., Sun, C., Zhu, J., & Livesley, W. J. (2002). The structure of traits delineating personality disorder in a Chinese sample. *Journal of Personality Disorders*, 16, 477-486.